

Conveying Non-Stop Movement...

PlastLink
CHAIN BELT

Manufacturer of Conveyor Components



About us...

PlastLink Chain Belt that has been in business of manufacturing of all types modular belts & conveyor components since 2018. We have more than 10 to 15 years' experience in belting industry. We have been honoured as a quality product manufacture by our valued customers. We take care of our customers requirement for fulfilled his expectations. Also our product brands meet customers requirement in demanding applications used for all industry.



Vision:


- PlastLink Chain Belt focused to position itself as a leading brand in the Global Market.
- Our company's motto is 100% Customer Satisfaction.
- Accurate & On time consistently delivery + order accuracy.
- Minimize down time in an emergency.



Segment We Serve:

- Food Processing
- Fruit & Vegetables
- Meat & Sea Food
- Dairy Industry
- Logistic & Packaging
- Automotive & Engineering
- Bottling & Beverages
- Pet Blow Industry
- Personal Care
- Pharmaceutical
- Chemical Processing
- Material Handling


MODULAR BELTS




MPB (Flat Top)
Pitch 50.8 mm




MPB (18%)
Pitch 50.8 mm




MPB (23%)
Pitch 50.8 mm



MPB (Rough Top)
Pitch 50.8 mm



MPB (Nub Top)
Pitch 50.8 mm



OPB (Flat Top)
Pitch 50.8 mm




OPB (18%)
Pitch 50.8 mm




OPB (23%)
Pitch 50.8 mm




OPB (36%)
Pitch 50.8 mm



OPB (Raised Rib)
Pitch 50.8 mm




2533 (Flush Grid)
Pitch 25.4 mm




2533 (Flat Top)
Pitch 25.4 mm




500 (Flush Grid)
Pitch 25 mm




900 (Flat Top)
Pitch 27.2 mm



900 (Flush Grid)
Pitch 27.2 mm




1100 (Flat Top)
Pitch 15.2mm




1100 (Flush Grid)
Pitch 15.2mm



SMPB (Flat Top)
Pitch 25.4 mm



2120 (Flat Top)
Pitch 12.7 mm



1000 (Flat Top)
Pitch 25.4mm

Belt Material : PP / POM
Working Temperature 0° to 105°C For PP & - 40° to 90°C for POM
 Clits & Side Walls can be supplied for Selective Belts.

DRIVE SPROCKETS



For MPB
No. of Teeth 8/10/12



For OPB
No. of Teeth 8/10/12




For SMPB
No. of Teeth 12/ 20



For 1000
No. of Teeth 12/16/18/20




For 2533
No. of Teeth 10/12/18



For 500
No. of Teeth 12/18




For 900
No. of Teeth 6/12/18



For 2120
No. of Teeth 28



For 1100
No. of Teeth 16/20/24



For 1702
No. of Teeth 8/10/12


ACCESSORIES



For MPB



For OPB



For SMPB



For 2533



For S900

Thermo Plastic Slat chains

820 SERIES





Plate Material : LF Acetal Pin Material : Austenitic Steel

DIMENSION	MM	Inch
P	38.1	1.50
M	42.1	1.65
L	7.20	0.28
H	13.5	0.53
E	6.35	0.25
T	4.00	0.18
O	44.5	1.73

Standard length : 80 pitches
(10feet - 3.048 m)

Part No.	Width		Weight (kg/m)
	(mm)	(inch)	
820 K250	63.5	2.50	0.73
820 K325	82.5	3.25	0.83
820 K330	83.8	3.30	0.85
820 K350	88.9	3.50	0.87
820 K400	101.6	4.00	0.95
820 K450	114.3	4.50	1.03
820 K600	152.4	6.00	1.25
820 K750	190.5	7.50	1.47

821 SERIES




Plate Material : LF Acetal Pin Material : Austenitic Steel

DIMENSION	MM	Inch
P	38.1	1.50
M	136.5	5.37
L	7.90	0.31
H	14.3	0.56
E	7.90	0.31
T	4.80	0.18
O	140	5.51

Part No.	Width		Weight (kg/m)
	(mm)	(inch)	
821 K750	190.5	7.5	2.50
821 K1000	254.0	10	2.95
821 K1200	304.8	12	3.25

Standard length : 80 pitches
(10feet - 3.048 m)

880 TAB SERIES




Plate Material : LF Acetal Pin Material : Austenitic Steel

DIMENSION	MM	Inch
P	38.1	1.50
O	61.1	2.40
L	7.60	0.30
H	20.0	0.78
E	7.10	0.28
T	4.00	0.15
V	11.50	0.45
S	16.0	0.63
M	42.9	1.68
D	45.0	1.77

Part No.	Width		Weight (kg/m)
	(mm)	(inch)	
880TAB K325	82.5	3.25	0.64
880TAB K450	114.3	4.50	1.08

Standard length : 80 pitches
(10feet - 3.048 m)

880M SERIES




Plate Material : LF Acetal Pin Material : Martensitic Steel

DIMENSION	MM	Inch
P	38.1	1.50
M	42.1	1.65
L	11.0	0.43
H	15.0	0.59
E	7.10	0.28
T	4.00	0.15
O	44.0	1.73

Part No.	Width		Weight (kg/m)
	(mm)	(inch)	
880 M K325	82.5	3.25	1.03
880 M K450	114.3	4.50	1.16

Standard length : 80 pitches
(10feet - 3.048 m)

882 TAB SERIES




Plate Material : LF Acetal Pin Material : Austenitic Steel

DIMENSION	MM	Inch
P	38.1	1.50
O	76.2	3.00
L	9.50	0.37
H	27.0	1.06
E	8.70	0.34
T	4.80	0.18
V	17.0	0.66
M	57.2	2.25
D	58	2.28

Part No.	Width		Weight (kg/m)
	mm	inch	
882TAB K600	152.4	6.0	2.10
882TAB K750	190.5	7.5	2.47
882TAB K1000	254.0	10	2.87
882TAB K1200	304.8	12	3.41

Standard length : 80 pitches
(10feet - 3.048 m)

SPROCKETS



For 820
No. of Teeth 17/19/21/23/25/27/29



For 821
No. of Teeth 19/21/23/25



For 880 TAB
No. of Teeth 9/10/11/12



For 880 M
No. of Teeth 9/10/11/12



For 882
No. of Teeth 9/10/11/12

Stainless Steel Slat Chains

812 SERIES





Plate Material : Stainless Steel Pin Material : Martensitic Steel

DIMENSION	MM	Inch
P	38.1	1.50
M	42.0	1.65
L	6.40	0.28
H	13.0	0.51
E	6.40	0.25
T	3.10	0.11
G	1.80	0.06
D	44.0	1.73

Part No.	Width (mm)	Width (inch)	Weight (kg/m)
812 K325	82.5	3.25	2.5
812 K350	88.9	3.50	2.7
812 K400	101.6	4.00	3.0
812 K450	114.3	4.50	3.3
812 K600	152.4	6.00	4.3
812 K750	190.5	7.50	5.2

Standard length : 80 pitches
(10feet - 3.048 m)

802 SERIES




Plate Material : Stainless Steel Pin Material : Martensitic Steel

DIMENSION	MM	Inch
P	38.1	1.5
M	80	3.15
L	6.4	0.25
H	13.0	0.51
E	6.4	0.25
T	3.1	0.12
G	1.8	0.07
D	82.5	3.24

Part No.	Width (mm)	Width (inch)	Weight (kg/m)
802 K750	190.5	7.50	5.40

Standard length : 80 pitches
(10feet - 3.048 m)

881TAB SERIES




Plate Material : Stainless Steel Pin Material : Martensitic Steel

DIMENSION	MM	Inch
P	38.1	1.50
L	6.40	0.25
H	19.3	0.76
E	6.40	0.25
T	3.10	0.12
C	56.6	0.45
B	12.8	0.50
M	43.0	1.69
F	13.0	0.51
D	45.0	1.77

Part No.	Width (mm)	Width (inch)	Weight (kg/m)
881TAB K325	82.5	3.25	3.0
881TAB K450	114.3	4.50	3.7
881TAB K750	190.5	7.50	5.5

Standard length : 80 pitches
(10feet - 3.048 m)

881M SERIES




Plate Material : Stainless Steel Pin Material : Martensitic Steel

DIMENSION	MM	Inch
P	38.1	1.50
M	42.0	1.65
L	6.40	0.25
H	13.0	0.51
E	6.40	0.25
T	3.10	0.12
D	44.0	1.73

Part No.	Width (mm)	Width (inch)	Weight (kg/m)
881M K325	82.5	3.25	2.60
881M K450	114.3	4.50	3.10
881M K750	190.5	7.50	4.90

Standard length : 80 pitches
(10feet - 3.048 m)

SPROCKETS



For 812
No. of Teeth 17/19/21/23/25/27/29



For 802
No. of Teeth 19/21/23/25





For 881TAB
No. of Teeth 17/19/21/23/25/27/29




For 881M
No. of Teeth 17/19/21/23/25/27/29

RETURN ROLLERS



TAB Type Corner Track

Suitable for 880,881 TAB
 Material : UHMWPE
 No. of Rows : 1 to 6 Rows







Magnetic Corner Track

Suitable for 880 M, 881 M,
 Material : UHMWPE
 No. of Rows : 1 to 6 Rows

FRAMES SUPPORTS

Material-Reinforced Polyamide
 Hardware -Stainless Steel



FRAMES SUPPORTS

Material-Reinforced Polyamide
Hardware -Stainless Steel



CONNECTING JOINT
PART NO SCJ-1284

Bore Dia Meter : 48.5 mm
Cross Beam Dia : 42.0 mm



ARTICULATED LEGPAD
(PART NO. SBT - 1680,16100, 16125)

Base Dia : 80 / 100 / 125 mm



SQUARE PIPE ADAPTOR

Square Sizes : 30 / 40 / 50
Thread Sizes : M12, M16, M20



ROUND PIPE ADAPTOR

Round Sizes : 30 / 40 / 50
Thread Sizes : M12, M16, M20

SIDE BRACKETS



PART NO. SB-KB-240



PART NO. SB-KB-210



PART NO. SB-ST-250



PART NO. SB-AB-210

GUIDE RAIL CLAMPS



PART NO. SRC 5835



PART NO. SRC 2737



PART NO. SRC 2738



PART NO. DRC 6750



PART NO. DRC 9160



PART NO. SRC 9764

CONNECTING CLAMPS



PART NO. TC 5630



PART NO. CC 5220



PART NO. SC 5830

BEARING BLOCK



UCF - FOUR BOLT FLANGED BEARING UNIT



UCFB - SIDE FLANGED BEARING UNIT



UCFL - TWO BOLT FLANGED BEARING UNIT



UCP - PILLOW BLOCK BEARING UNIT



UCT - TAKE UP BEARING UNIT


OTHER PRODUCT



Elevating Bucket



Roller Chain



Transfer COMB



Retainer Ring



Crate Chain - 1702



CC - 600 Chain



Finger Chain



Gravity Roller




PVC & PU Clited Belt



PVC & PU Conveyor Belt



UHMWPE Profiles



Wire Mesh Belt